

Arnco

ReSeal™ Volume Chart

INTRODUCTION :

Arnco's ReSeal™ Volume Chart has been produced as an aid for Arnco's customers. We believe you will find this comprehensive chart both useful and easy to use. Just find the tyre size designation for the tyre you want to add sealant to in the column labeled "Tyre", and look across to find the volume of sealant to use in the shaded column labeled " Volume ML (cc)". Reading the following sections will help you to more fully utilize the information contained in this chart.

CAUTIONS :

While care has been taken to ensure the accuracy of the volumes in the following chart, Arnco is not responsible for any loss or damage that may result from its use.

Use of ReSeal in some high speed tyres may result in vibration problems. The customer should determine the suitability of ReSeal for any given application.

No allowance has been made for variations which will occur among different tyre brands for a given tyre size and rating.

SPECIAL FEATURES :

- Section III :

This section contains all tyres which lack a rim diameter as part of their designation. This only applies to type VII aircraft tyres, bicycle tyres, some industrial tyres, and one special passenger tyre. As section II is organized by rim diameter, it is much easier to locate those tyres without a rim diameter in their designation in Section III.

ASSUMPTIONS :

The volumes given in the following chart assume the tyres are being sealed with ReSeal™. The use of other sealants may require different volumes.

CHART COLUMN 1 : **Rim Diameter**

A separate column of rim diameter is included in this chart because bicycle tyres, and some aircraft tyres, do not include a rim diameter in their designations.

CHART COLUMN 2 : **Tyre Designation**

One of the first things you may notice is that there seems to be a lot of unnecessary spaces in the tyre designations used in this chart. The actual designations used on tyres do not contain most of the spaces shown. The reason for these extra spaces is to align identical attributes for each tyre vertically so that their precise meanings can be more easily understood.

CHART COLUMN 3 : **Tyre Class**

The tyres listed in this chart have each been sorted into one of eight classes : Agricultural (AGR), Aircraft (AIR), Bicycle (CYB), Motorcycle (CYM), Industrial (IND), Off-The-Road (OTR), Passenger (PAS), and Truck & Bus (T&B).

CHART COLUMN 4 : **ML (cc)**

The volumes shown in this column have been calculated to provide a uniform thickness of sealant for all the tyres in each tyre class except for passenger tyres which have lower thicknesses for low aspect ratio tyres to reduce the likelihood of vibration.

CHART COLUMN 5 : **Ounces**

This column is the same as column 4 but converted to ounces.

THE CHART COLUMN HEADINGS :

The five column headings of the chart are labeled : Rim Diameter, Tyre Designation, Tyre Class, Volume ML (cc) & Ounces.

CHART COLUMN EXAMPLE

1	2				3	4	5
Rim Diameter	Tyre Designation				Tyre Class	Volume ML (cc)	Ounces
4	2.80	-	4	NHS	IND	4	
4	2.80/2.50	-	4	NHS	IND	4	
4	3.00	-	4		IND	6	
4	4.00	-	4		IND	8	
4	4.10	-	4	NHS	IND	6	

LISTS OF ABBREVIATIONS :

Abbreviations Used in Tyre Prefixes :

AT	All Terrain Tyre
B	Aircraft Tyre Rim Width to Section Width Ratio Designation
C	Aircraft Tyre Rim Width to Section Width Ratio Designation
CT	Inverted Flange Tyre
E	Energy Efficient Tyre
H	Aircraft Tyre Rim Width to Section Width Ratio Designation
LT	Light Truck Tyre
M	Motorcycle Tyre
P	Passenger Car Tyre
S	Flotation Service Tyre
T	Temporary Service (Spare) Tyre

Abbreviations Used in Tyre Suffixes :

DT	OTR Tyre for Desert Terrain (Sand)
FI	Farm Implement Tyres
HC	Truck & Bus Tyre for use with HC contour rims
K	Compactor Tyre
LT	Light Truck Tyre
MH	Mobile Home Tyre
ML	Mining & Logging Tyre
M/C	15" Diameter Motorcycle Tyre for use with specific rims
NHS	Not for Highway Service Tyre
SL	Service Limited to Agriculture Tyre
SS	Skid Steer Tyre
ST	Special Trailer Tyre
TG	Tractor / Grader Tyre
TR	Truck & Bus Tyre for use with specific rims.
VA	Agricultural Tyre for use with VA contour rims

Other abbreviations used in this chart :

AGR	Agricultural Tyres
AIR	Aircraft Tyres
CYB	Bicycle Tyres
CYM	Motorcycle Tyres
IND	Industrial Tyres
OTR	Off-The-Road Tyres
PAS	Passenger Car Tyres
T&B	Truck & Bus Tyres

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tyre Width)

Rim Diameter	Tyre Designation	Tyre Class	Volume ML (cc)	Ounces
4	2.80/2.50	- 4 NHS IND	180	6
4	2.80	- 4 NHS IND	180	6
4	3.00	- 4 IND	240	8
4	4.00	- 4 IND	300	10
4	4.10	- 4 NHS IND	240	8
4	4.10/3.50	- 4 NHS IND	240	8
4	4.80	- 4 NHS IND	360	12
4	5.00	- 4 AIR	180	6
4	8.00	- 4 AIR	300	10
5	3.40/3.00	- 5 NHS IND	240	8
5	3.40	- 5 NHS IND	240	8
5	3.50	- 5 IND	300	10
5	4.00	- 5 NHS IND	300	10
5	4.10/3.50	- 5 NHS IND	300	10
5	4.10	- 5 NHS IND	300	10
5	5.00	- 5 AIR	180	6
6	4.10	- 6 NHS IND	300	10
6	4.10/3.50	- 6 NHS IND	300	10
6	5.00	- 6 NHS IND	360	12
6	5.30	- 6 NHS IND	480	16
6	5.30/4.50	- 6 NHS IND	480	16
6	5.5	- 6 AIR	180	6
6	6.00	- 6 AIR	240	8
6	6.0	- 6 AIR	240	8
6	6.00	- 6 NHS IND	540	18
6	6.25	- 6 AIR	240	8
6	6.50	- 6 NHS IND	480	16
6	6.90/6.00	- 6 NHS IND	720	24
6	6.90	- 6 NHS IND	720	24

Arnco										
ReSeal™ Volume Chart										
(Listed by Increasing Rim Diameter then by Tyre Width)										
Rim Diameter	Tyre Designation				Tyre Class	Volume ML (cc)	Ounces			
8				4.00	- 8	AGR	420	14		
8				4.00	- 8	IND	480	16		
8	16	x		4.4		AIR	180	6		
8	15	x		4 ½	- 8	IND	420	14		
8	15	x		4 ½	R 8	IND	420	14		
8				4.80/4.00	- 8	IND	480	16		
8				4.80	- 8	IND	480	16		
8				4.80/4.00	- 8	NHS	480	16		
8				4.80	- 8	NHS	480	16		
8				125 / 75	- 8	IND	420	14		
8				125 / 75	R 8	IND	420	14		
8				5	- 8	AGR	480	16		
8				5.00	- 8	IND	540	18		
8				5.00	R 8	IND	600	20		
8	16	x		5.50	- 8	NHS	540	18		
8	18	x		5.5		AIR	240	8		
8				5.70	- 8	IND	600	20		
8				5.70/5.00	- 8	IND	600	20		
8				5.70	- 8	NHS	600	20		
8				5.70/5.00	- 8	NHS	600	20		
8	17.5	x		5.75	- 8	AIR	240	8		
8	18	x		5.75	- 8	AIR	240	8		
8				150 / 75	- 8	IND	600	20		
8				150 / 75	R 8	IND	600	20		
8	16	x		6.00	- 8	IND	600	20		
8	16	x		6.00	R 8	IND	600	20		
8				6.50	- 8	AIR	300	10		
8	16	x		6.50	- 8	NHS	600	20		
8	16.5	x		6.5	- 8	IND	600	20		
8	19.5	x		6.75	- 8	AIR	300	10		
8				7.00	- 8	AIR	300	10		
8	18	x		7		IND	780	26		
8	18	x		7	- 8	IND	780	26		
8	18	x		7	R 8	IND	780	26		
8	18	x		7	- 8	NHS	720	24		
8	AT 20	x		7	- 8	IND	840	28		
8				180 / 70	- 8	IND	720	24		
8				180 / 70	R 8	IND	720	24		
8	16	x		7.50	- 8	NHS	720	24		

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tyre Width)

Rim Diameter		Tyre Designation	Tyre Class	Volume ML (cc)	Ounces		
8		22 x 8.0	- 8	AIR	360	12	
8		18 x 8.50	- 8	NHS	IND	840	28
8		18.5 x 8.5	- 8		IND	900	30
8		18 x 9	- 8	NHS	IND	960	32
8		18 x 9.50	- 8	NHS	IND	960	32
8		18.5 x 9.5	- 8		IND	960	32
8	AT	18 x 10	- 8		IND	1080	36
8	AT	20 x 10	- 8		IND	1200	40
8	AT	22 x 10	- 8		IND	1320	44
8	AT	23 x 10	- 8		IND	1380	46
8	AT	18 x 11	- 8		IND	1140	38
8	AT	20 x 11	- 8		IND	1260	42
8		21 x 11.00	- 8	NHS	IND	1380	46
8	AT	21 x 11	- 8		IND	1320	44
8		22 x 11.00	- 8	NHS	IND	1440	48
8	AT	22 x 11	- 8		IND	1380	46
8	AT	21 x 12	- 8		IND	1500	50
9		4.00	- 9	SL	AGR	480	16
9		4.80	- 9	NHS	IND	480	16
9		4.80/4.00	- 9	NHS	IND	480	16
9		5.00	- 9		IND	600	20
9		6.00	- 9		IND	780	26
9		6.00	R 9		IND	780	26
9		6.90/6.00	- 9		IND	840	28
9		6.90	- 9		IND	840	28
9		6.90	- 9	NHS	IND	840	28
9		6.90/6.00	- 9	NHS	IND	840	28
9	AT	20 x 7	- 9		IND	840	28
9	AT	22 x 7	- 9		IND	900	30

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tyre Width)

Rim Diameter	Tyre Designation				Tyre Class	Volume ML (cc)	Ounces	
9				200 / 75 - 9	IND	960	32	
9				200 / 75 R 9	IND	960	32	
9		21	x 8	- 9	IND	960	32	
9		21	x 8	- 9	NHS	960	32	
9	AT	21	x 8	- 9	IND	960	32	
9		21	x 9	- 9	NHS	1080	36	
9	AT	18	x 11	- 9	IND	1140	38	
9	AT	20	x 11	- 9	IND	1260	42	
9	AT	22	x 11	- 9	IND	1380	46	
9	AT	25	x 12	- 9	IND	1740	58	
9	AT	24	x 13	- 9	IND	1800	60	
10		18	x 4.25	- 10	AIR	180	6	
10		18	x 4.4		AIR	180	6	
10			6.50	- 10	AIR	300	10	
10			6.50	- 10	IND	960	32	
10			6.50	R 10	IND	960	32	
10			6.50	- 10	NHS	960	32	
10		22	x 6.50	- 10	AIR	300	10	
10	H	19.5	x 6.75	- 10	AIR	300	10	
10		22	x 6.75	- 10	AIR	300	10	
10	AT	21	x 7	- 10	IND	900	30	
10		21	x 7.25	- 10	AIR	300	10	
10			7.50	- 10	IND	1200	40	
10			7.50/9.00	- 10	IND	1200	40	
10			7.50	R 10	IND	1200	40	
10			7.50	L	NHS	1200	40	
10			7.50/9.00	- 10	NHS	1200	40	
10			7.50	- 10	NHS	1200	40	
10			7.50	- 10	SL	AGR	1140	38
10		20	x 7.50	- 10	NHS	840	28	
10		24	x 7.7		AIR	360	12	
10		22	x 7.75	- 10	AIR	360	12	
10		20	x 8.00	- 10	NHS	840	28	
10	AT	20	x 8	- 10	IND	960	32	
10		20.5	x 8.0	- 10	IND	960	32	
10		22	x 8.0	- 10	AIR	360	12	

<h1>Arnco</h1>											
<h2>ReSeal™ Volume Chart</h2>											
(Listed by Increasing Rim Diameter then by Tyre Width)											
Rim Diameter	Tyre Designation					Tyre Class	Volume ML (cc)	Ounces			
10	AT	22	x	8		- 10	IND	1020	34		
10		23	x	8		- 10	NHS IND	1080	36		
10	AT	25	x	8		- 10	IND	1140	38		
10				8.50		- 10	AIR	480	16		
10				225 / 75		- 10	IND	1200	40		
10				225 / 75	R	10	IND	1200	40		
10				9.00		- 10	NHS IND	1500	50		
10				9.00	L	- 10	NHS IND	1440	48		
10				9.00		- 10	SL AGR	1440	48		
10	AT	22	x	9		- 10	IND	1140	38		
10		23	x	9		- 10	IND	1200	40		
10		27	x	9		- 10	NHS IND	1440	48		
10	AT	18	x	10		- 10	IND	1080	36		
10	AT	20	x	10		- 10	IND	1200	40		
10	AT	22	x	10		- 10	IND	1320	44		
10	AT	18	x	11		- 10	IND	1140	38		
10	AT	20	x	11		- 10	IND	1260	42		
10	AT	22	x	11		- 10	IND	1380	46		
10	AT	24	x	11		- 10	IND	1500	50		
10		29	x	11.0		- 10	AIR	660	22		
10	AT	25	x	12		- 10	IND	1740	58		
10				15	L	- 10	NHS IND	2340	78		
10		27	x	15		- 10	NHS IND	2340	78		
10.5	B	24	x	9.5		- 10.5	AIR	480	16		
11	AT	23	x	8		- 11	IND	1080	36		
11	AT	24	x	8		- 11	IND	1140	38		
11	AT	24	x	9		- 11	IND	1260	42		
11				10.00		- 11	AIR	600	20		
12				4.00		- 12	SL AGR	540	18		
12				4.50		- 12	IND	660	22		
12				4.80/4.00		- 12	IND	600	20		
12				4.80		- 12	IND	600	20		
12				4.80		- 12	NHS IND	600	20		
12				4.80/4.00		- 12	NHS IND	600	20		
12				5		- 12	AGR	600	20		
12				5.30/4.50		- 12	IND	660	22		

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter	Tyre Designation						Tyre Class	Volume ML (cc)	Ounces			
12						5.30 - 12	IND	660	22			
12						5.30/4.50 - 12	NHS IND	660	22			
12						5.30 - 12	NHS IND	660	22			
12						5.70 - 12	NHS IND	780	26			
12	P					145 / 80 - 12	PAS	240	8			
12	P					145 / 80 R 12	PAS	240	8			
12		22	x			5.75 - 12	AIR	240	8			
12						6 - 12	AGR	780	26			
12	P					155 / 80 - 12	PAS	300	10			
12	P					155 / 80 R 12	PAS	300	10			
12	P					165 / 70 - 12	PAS	300	10			
12	P					165 / 70 R 12	PAS	300	10			
12						7.00 - 12	NHS IND	1200	40			
12						7.00 R 12	NHS IND	1140	38			
12		23	x			7.0 - 12	AIR	360	12			
12		24	x			7.25 - 12	AIR	360	12			
12		22	x			7.50 - 12	NHS IND	1020	34			
12		22	x			8.00 - 12	NHS IND	1020	34			
12		23	x			8 - 12	NHS IND	1080	36			
12						8.25 - 12	IND	1440	48			
12		23	x			8.50 - 12	IND	1080	36			
12		23	x			8.50 - 12	NHS IND	1080	36			
12		23.5	x			8.5 - 12	IND	1140	38			
12	C	24.5	x			8.5 - 12	AIR	420	14			
12		23	x			9 - 12	NHS IND	1200	40			
12		28	x			9.0 - 12	AIR	540	18			
12		23	x			9.50 - 12	NHS IND	1320	44			
12						250 / 75 - 12	IND	1560	52			
12						250 / 75 R 12	IND	1560	52			
12		23	x			10 - 12	NHS IND	1380	46			
12		27	x			10 - 12	IND	1560	52			
12		27	x			10 - 12	NHS IND	1560	52			
12		23	x			10.50 - 12	NHS IND	1380	46			
12						11.00 - 12	AIR	780	26			
12		23.5	x			11 - 12	NHS IND	1500	50			
12		24	x			12 - 12	NHS IND	1680	56			
12		25	x			12 - 12	NHS IND	1740	58			
12		26	x			12.00 - 12	NHS IND	1800	60			
12	H	31	x			13.0 - 12	AIR	780	26			
12						15.00 - 12	AIR	1020	34			
12.31		16	x			1.75	CYB	120	4			
12.31		16	x			2.125	CYB	180	6			
12.48		16	x			1 3/4	CYB	120	4			

Arnco										
ReSeal™ Volume Chart										
(Listed by Increasing Rim Diameter then by Tyre Width)										
Rim Diameter	Tyre Designation					Tyre Class	Volume ML (cc)	Ounces		
12.50	8.90 - 12.50					AIR	480	16		
13	21	x	4			IND	600	20		
13	T		105	/	80 - 13	PAS	180	6		
13	T		105	/	80 R 13	PAS	180	6		
13	22	x	4 ½			IND	780	26		
13	T		125	/	80 - 13	PAS	240	8		
13	T		125	/	80 R 13	PAS	240	8		
13	23	x	5			IND	900	30		
13	P		145	/	80 - 13	PAS	300	10		
13	P		145	/	80 R 13	PAS	300	10		
13	25	x	6			IND	1020	34		
13	P		155	/	70 - 13	PAS	300	10		
13	P		155	/	70 R 13	PAS	300	10		
13	P		155	/	80 - 13	PAS	300	10		
13	P		155	/	80 R 13	PAS	300	10		
13	P		165	/	65 R 13	PAS	300	10		
13	P		165	/	70 - 13	PAS	300	10		
13	P		165	/	70 R 13	PAS	300	10		
13	P		165	/	75 - 13	PAS	300	10		
13	P		165	/	75 R 13	PAS	300	10		
13	P		165	/	80 - 13	PAS	300	10		
13	P		165	/	80 R 13	PAS	300	10		
13			6.50		- 13 ST	T&B	360	12		
13			A	78	- 13	PAS	300	10		
13			A	78	- 13 ST	T&B	300	10		

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter	Tyre Designation							Tyre Class	Volume ML (cc)	Ounces		
13					B	R	78	-	13	PAS	360	12
13	P				175	/	70	-	13	PAS	300	10
13	P				175	/	70	R	13	PAS	300	10
13	LT				175	/	75	-	13	T&B	360	12
13	LT				175	/	75	R	13	T&B	360	12
13	P				175	/	75	-	13	PAS	360	12
13	P				175	/	75	R	13	PAS	360	12
13	P				175	/	80	-	13	PAS	360	12
13	P				175	/	80	R	13	PAS	360	12
13	ST				175	/	80	R	13	T&B	360	12
13					B		78	-	13	PAS	360	12
13					B		78	-	13	ST T&B	360	12
13					A		70	-	13	PAS	360	12
13					C		78	-	13	PAS	360	12
13					C		78	-	13	ST T&B	360	12
13	P				185	/	60	-	13	PAS	300	10
13	P				185	/	60	R	13	PAS	300	10
13	P				185	/	70	-	13	PAS	360	12
13	P				185	/	70	R	13	PAS	360	12
13	P				185	/	75	-	13	PAS	360	12
13	P				185	/	75	R	13	PAS	360	12
13	P				185	/	80	-	13	PAS	360	12
13	P				185	/	80	R	13	PAS	360	12
13	ST				185	/	80	R	13	T&B	360	12
13					B		70	-	13	PAS	360	12
13		24	x	7.50				-	13	LT T&B	360	12
13		24	x	7.50				R	13	LT T&B	360	12
13					B	R	70	-	13	PAS	360	12
13	P				195	/	60	-	13	PAS	360	12
13	P				195	/	60	R	13	PAS	360	12
13	P				195	/	65	R	13	PAS	360	12
13	P				195	/	70	-	13	PAS	360	12
13	P				195	/	70	R	13	PAS	360	12
13					D		78	-	13	PAS	360	12
13					A		60	-	13	PAS	360	12
13	P				205	/	60	-	13	PAS	360	12
13	P				205	/	60	R	13	PAS	360	12
13	P				205	/	70	-	13	PAS	420	14
13	P				205	/	70	R	13	PAS	420	14
13					B		60	-	13	PAS	420	14
13					B	R	60	-	13	PAS	420	14
13	P				215	/	50	-	13	PAS	360	12
13	P				215	/	50	R	13	PAS	360	12

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter			Tyre Designation				Tyre Class	Volume ML (cc)	Ounces			
13	P				215 / 60 - 13	PAS	420					14
13	P				215 / 60 R 13	PAS	420					14
13	P				225 / 75 - 13	PAS	420					14
13	P				225 / 75 R 13	PAS	420					14
13					B 50 - 13	PAS	420					14
13	P				235 / 50 - 13	PAS	420					14
13	P				235 / 50 R 13	PAS	420					14
13	P				235 / 60 - 13	PAS	420					14
13	P				235 / 60 R 13	PAS	420					14
13	P				245 / 50 - 13	PAS	420					14
13	P				245 / 50 R 13	PAS	420					14
13	H	31	x	9.75		- 13	AIR	600				20
14	M				90 / 100 - 14	CYM	180					6
14	T				105 / 70 - 14	PAS	180					6
14	T				105 / 70 R 14	PAS	180					6
14	T				115 / 70 - 14	PAS	240					8
14	T				115 / 70 R 14	PAS	240					8
14	T				125 / 70 - 14	PAS	240					8
14	T				125 / 70 R 14	PAS	240					8
14	T				135 / 70 - 14	PAS	240					8
14	T				135 / 70 R 14	PAS	240					8
14	T				135 / 80 - 14	PAS	240					8
14	T				135 / 80 R 14	PAS	240					8
14					6.00	- 14	SL AGR	1020				34
14	E				165 / 65 R 14	PAS	300					10
14	P				165 / 80 - 14	PAS	300					10
14	P				165 / 80 R 14	PAS	300					10
14		26	x	6.6			AIR	360				12
14					B 78 - 14	PAS	360					12
14		25.75	x	6.75		- 14	AIR	360				12
14		26	x	6.75		- 14	AIR	360				12
14	P				175 / 60 - 14	PAS	300					10
14	P				175 / 60 R 14	PAS	300					10
14	E				175 / 65 R 14	PAS	360					12
14	P				175 / 65 R 14	PAS	360					12
14	P				175 / 70 - 14	PAS	360					12
14	P				175 / 70 R 14	PAS	360					12
14	LT				175 / 75 - 14	T&B	360					12
14	LT				175 / 75 R 14	T&B	360					12
14	P				175 / 75 - 14	PAS	360					12
14	P				175 / 75 R 14	PAS	360					12
14	P				175 / 80 - 14	PAS	360					12

Arnco														
ReSeal™ Volume Chart														
(Listed by Increasing Rim Diameter then by Tyre Width)														
Rim Diameter			Tyre Designation						Tyre Class	Volume ML (cc)	Ounces			
14	P			175 / 80 R	14			PAS	360				12	
14				7.00	- 14	LT		T&B	420				14	
14				7.00	R 14	LT		T&B	420				14	
14				C	78 - 14			PAS	360				12	
14				D R	78 - 14			PAS	360				12	
14	P			185 / 60 - 14				PAS	360				12	
14	P			185 / 60 R	14			PAS	360				12	
14	P			185 / 65 R	14			PAS	360				12	
14	P			185 / 70 - 14				PAS	360				12	
14	P			185 / 70 R	14			PAS	360				12	
14	LT			185 / 75 - 14				T&B	360				12	
14	LT			185 / 75 R	14			T&B	360				12	
14	P			185 / 75 - 14				PAS	360				12	
14	P			185 / 75 R	14			PAS	360				12	
14	P			185 / 80 - 14				PAS	360				12	
14	P			185 / 80 R	14			PAS	360				12	
14				D	78 - 14			PAS	360				12	
14				E R	78 - 14			PAS	360				12	
14				7.50	- 14			AIR	420				14	
14				7.50	- 14	SL		AGR	1140				38	
14				E	78 - 14			PAS	420				14	
14	P			195 / 60 - 14				PAS	360				12	
14	P			195 / 60 R	14			PAS	360				12	
14	P			195 / 65 R	14			PAS	420				14	
14	E			195 / 70 R	14			PAS	420				14	
14	P			195 / 70 - 14				PAS	420				14	
14	P			195 / 70 R	14			PAS	420				14	
14	LT			195 / 75 - 14				T&B	420				14	
14	LT			195 / 75 R	14			T&B	420				14	
14	P			195 / 75 - 14				PAS	420				14	
14	P			195 / 75 R	14			PAS	420				14	
14				E	78 - 14	ST		T&B	420				14	
14				D	70 - 14			PAS	420				14	
14				F R	78 - 14			PAS	420				14	
14				E R	78 - 14	LT		T&B	420				14	
14				E	78 - 14	LT		T&B	420				14	
14				7.9	- 14	LT		T&B	420				14	
14				F	78 - 14			PAS	420				14	
14				F	78 - 14	ST		T&B	420				14	
14	H	26.5	x	8.0	- 14			AIR	420				14	
14				E	70 - 14			PAS	420				14	
14	P			205 / 60 - 14				PAS	360				12	
14	P			205 / 60 R	14			PAS	360				12	

Arnco													
ReSeal™ Volume Chart													
(Listed by Increasing Rim Diameter then by Tyre Width)													
Rim Diameter			Tyre Designation				Tyre Class	Volume ML (cc)	Ounces				
14	P				205 / 70 - 14		PAS	360				12	
14	P				205 / 70 R 14		PAS	360				12	
14	P				205 / 75 - 14		PAS	420				14	
14	P				205 / 75 R 14		PAS	420				14	
14	ST				205 / 75 R 14		T&B	420				14	
14					E R 70 - 14		PAS	420				14	
14					F 70 - 14		PAS	420				14	
14					F 70 - 14	ST	T&B	420				14	
14					G R 78 - 14		PAS	420				14	
14					G 78 - 14		PAS	480				16	
14					G 78 - 14	LT	T&B	480				16	
14					G 78 - 14	ST	T&B	480				16	
14	P				215 / 60 - 14		PAS	420				14	
14	P				215 / 60 R 14		PAS	420				14	
14	P				215 / 65 R 14		PAS	420				14	
14	P				215 / 70 - 14		PAS	420				14	
14	P				215 / 70 R 14		PAS	420				14	
14	LT				215 / 75 - 14		T&B	480				16	
14	LT				215 / 75 R 14		T&B	480				16	
14	P				215 / 75 - 14		PAS	480				16	
14	P				215 / 75 R 14		PAS	480				16	
14	ST				215 / 75 R 14		T&B	480				16	
14					8.5	R 14	LT	T&B	420			14	
14					8.5 L	- 14	SL	AGR	1380			46	
14		26	x		8.50	- 14	LT	T&B	420			14	
14		26	x		8.50	R 14	LT	T&B	420			14	
14		27	x		8.50	- 14	LT	T&B	480			16	
14		27	x		8.50	R 14	LT	T&B	480			16	
14					F R 70 - 14		PAS	480				16	
14					H 78 - 14		PAS	480				16	
14					H 78 - 14	ST	T&B	480				16	
14					G 70 - 14		PAS	480				16	
14					G R 70 - 14		PAS	480				16	
14	P				225 / 60 - 14		PAS	420				14	
14	P				225 / 60 R 14		PAS	420				14	
14	P				225 / 70 - 14		PAS	480				16	
14	P				225 / 70 R 14		PAS	480				16	
14	P				225 / 75 - 14		PAS	480				16	
14	P				225 / 75 R 14		PAS	480				16	
14					9	- 14	LT	T&B	540			18	
14					E 60 - 14		PAS	480				16	
14					E R 60 - 14		PAS	480				16	
14					H 70 - 14		PAS	480				16	

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter	Tyre Designation						Tyre Class	Volume ML (cc)	Ounces			
14				H	70	- 14	ST	T&B	480		16	
14	P			235 /	60	- 14		PAS	480		16	
14	P			235 /	60	R 14		PAS	480		16	
14	P			235 /	70	- 14		PAS	480		16	
14	P			235 /	70	R 14		PAS	480		16	
14				F	R 60	- 14		PAS	480		16	
14				9.5	L	- 14	SL	AGR	1680		56	
14		27	x	9.50		- 14	LT	T&B	480		16	
14		27	x	9.50		R 14	LT	T&B	480		16	
14		29	x	9.50		- 14	LT	T&B	540		18	
14		29	x	9.50		R 14	LT	T&B	540		18	
14				F	60	- 14		PAS	480		16	
14	P			245 /	50	- 14		PAS	480		16	
14	P			245 /	50	R 14		PAS	480		16	
14	P			245 /	60	- 14		PAS	480		16	
14	P			245 /	60	R 14		PAS	480		16	
14	P			245 /	70	- 14		PAS	540		18	
14	P			245 /	70	R 14		PAS	540		18	
14				G	R 60	- 14		PAS	480		16	
14				G	60	- 14		PAS	480		16	
14	P			255 /	55	R 14		PAS	480		16	
14	P			255 /	60	- 14		PAS	540		18	
14	P			255 /	60	R 14		PAS	540		18	
14	P			265 /	50	- 14		PAS	540		18	
14	P			265 /	50	R 14		PAS	540		18	
14	P			265 /	60	- 14		PAS	540		18	
14	P			265 /	60	R 14		PAS	540		18	
14	P			275 /	60	- 14		PAS	600		20	
14	P			275 /	60	R 14		PAS	600		20	
14				G	50	- 14		PAS	540		18	
14				11		- 14	LT	T&B	660		22	
14				11	L	- 14	SL	AGR	1860		62	
14		34	x	11				AIR	720		24	
14				L	60	- 14		PAS	600		20	
14				M	50	- 14		PAS	660		22	
14		37	x	14.0		- 14		AIR	1020		34	
14.31		18	x	1.625				CYB	120		4	
14.5				7		- 14.5	LT	T&B	420		14	
14.5				7		- 14.5	MH	T&B	420		14	
14.5				8		- 14.5	LT	T&B	420		14	
14.5				8		- 14.5	MH	T&B	420		14	
14.5				9		- 14.5	LT	T&B	540		18	
14.5				9		- 14.5	MH	T&B	540		18	

Arnco											
ReSeal™ Volume Chart											
(Listed by Increasing Rim Diameter then by Tyre Width)											
Rim Diameter	Tyre Designation						Tyre Class	Volume ML (cc)	Ounces		
15			4.00			- 15	SL	AGR	660	22	
15	T		105 / 70			- 15		PAS	180	6	
15	T		105 / 70	R		15		PAS	180	6	
15	T		115 / 70			- 15		PAS	240	8	
15	T		115 / 70	R		15		PAS	240	8	
15	T		125 / 70			- 15		PAS	240	8	
15	T		125 / 70	R		15		PAS	240	8	
15	T		125 / 90			- 15		PAS	240	8	
15	T		125 / 90	R		15		PAS	240	8	
15			5.00			- 15	SL	AGR	780	26	
15	T		135 / 70			- 15		PAS	240	8	
15	T		135 / 70	R		15		PAS	240	8	
15	T		135 / 80			- 15		PAS	300	10	
15	T		135 / 80	R		15		PAS	300	10	
15	T		135 / 90			- 15		PAS	300	10	
15	T		135 / 90	R		15		PAS	300	10	
15			5.50			- 15		IND	960	32	
15	M		140 / 80			- 15	M/C	CYM	300	10	
15	M		140 / 90			- 15	M/C	CYM	300	10	
15	M		140 / 90	R		15	M/C	CYM	300	10	
15	M		U			90	M/C	CYM	300	10	
15			5.70			- 15	NHS	IND	840	28	
15			5.90			- 15	SL	AGR	960	32	
15	M		V			85	M/C	CYM	300	10	
15	M		V			90	M/C	CYM	360	12	
15	M		150 / 90	R		15	M/C	CYM	360	12	
15			6.00			- 15		IND	1020	34	
15			6.10			- 15	LT	T&B	300	10	
15			6.10			R 15	LT	T&B	300	10	
15	P		155 / 80			- 15		PAS	300	10	
15	P		155 / 80	R		15		PAS	300	10	
15			A			78		PAS	300	10	
15			6.40			- 15	SL	AGR	1020	34	
15	P		165 / 80			- 15		PAS	360	12	
15	P		165 / 80	R		15		PAS	360	12	
15	M		170 / 70			- 15	M/C	CYM	360	12	
15	M		170 / 80			- 15	M/C	CYM	360	12	
15	M		170 / 80	R		15	M/C	CYM	360	12	
15			6.70			- 15	LT	T&B	420	14	
15			6.70			R 15	LT	T&B	420	14	
15			6.70			- 15	SL	AGR	1080	36	
15			7.00			- 15		IND	1320	44	

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter			Tyre Designation				Tyre Class		Volume ML (cc)	Ounces		
15			7.00			R 15		IND	1320			44
15			7.00			- 15	LT	T&B	480			16
15			7.00			R 15	LT	T&B	480			16
15			7.00	L		- 15	NHS	IND	1320			44
15			7.00			- 15	NHS	IND	1380			46
15			7.00			- 15	SS	IND	1380			46
15			7.00			- 15	TR	T&B	480			16
15			7.00			R 15	TR	T&B	480			16
15			7.10			- 15	LT	T&B	480			16
15			7.10			R 15	LT	T&B	480			16
15	P		185	/	60	- 15		PAS	360			12
15	P		185	/	60	R 15		PAS	360			12
15	P		185	/	65	R 15		PAS	360			12
15	P		185	/	70	- 15		PAS	360			12
15	P		185	/	70	R 15		PAS	360			12
15			E		78	- 15		PAS	420			14
15			E		78	- 15	ST	T&B	420			14
15			7.50			- 15		IND	1500			50
15			7.50			R 15		IND	1440			48
15			7.50			- 15	LT	T&B	540			18
15			7.50			R 15	LT	T&B	540			18
15			7.50			- 15 30	NHS	IND	1380			46
15			7.50			- 15	NHS	OTR	1560			52
15			7.50			- 15	NHS	IND	1560			52
15			7.5	L		- 15	SL	AGR	1380			46
15			7.50			- 15	TR	T&B	540			18
15			7.50			R 15	TR	T&B	540			18
15		25	x			7.50		NHS	A&I	1140		38
15						7.60		SL	AGR	1320		44
15	P		195	/	50	- 15		PAS	360			12
15	P		195	/	50	R 15		PAS	360			12
15	P		195	/	60	- 15		PAS	360			12
15	P		195	/	60	R 15		PAS	360			12
15	P		195	/	65	R 15		PAS	420			14
15	P		195	/	70	- 15		PAS	420			14
15	P		195	/	70	R 15		PAS	420			14
15	LT		195	/	75	- 15		T&B	420			14
15	LT		195	/	75	R 15		T&B	420			14
15	P		195	/	75	- 15		PAS	420			14
15	P		195	/	75	R 15		PAS	420			14
15	P		195	/	80	- 15		PAS	420			14
15	P		195	/	80	R 15		PAS	420			14
15			F	R	78	- 15		PAS	420			14

<h1>Arnco</h1>											
<h2>ReSeal™ Volume Chart</h2>											
(Listed by Increasing Rim Diameter then by Tyre Width)											
Rim Diameter	Tyre Designation						Tyre Class	Volume ML (cc)	Ounces		
15				F	78	- 15	PAS	420	14		
15		29	x	7.7			AIR	420	14		
15				7.75		- 15	ST T&B	420	14		
15				F	78	- 15	ST T&B	420	14		
15		27	x	7.75		- 15	AIR	420	14		
15		28	x	8		- 15	IND	1320	44		
15		29	x	8		- 15	NHS IND	1320	44		
15		30	x	8		- 15	NHS IND	1380	46		
15				G	78	- 15	PAS	420	14		
15				G	78	- 15	ST T&B	420	14		
15	P			205 / 50	- 15		PAS	360	12		
15	P			205 / 50	R 15		PAS	360	12		
15	P			205 / 55	R 15		PAS	360	12		
15	P			205 / 60	- 15		PAS	420	14		
15	P			205 / 60	R 15		PAS	420	14		
15	P			205 / 65	R 15		PAS	420	14		
15				205 / 70	R 15		IND	1260	42		
15	P			205 / 70	- 15		PAS	420	14		
15	P			205 / 70	R 15		PAS	420	14		
15	LT			205 / 75	- 15		T&B	420	14		
15	LT			205 / 75	R 15		T&B	420	14		
15	P			205 / 75	- 15		PAS	420	14		
15	P			205 / 75	R 15		PAS	420	14		
15	ST			205 / 75	R 15		T&B	420	14		
15				8.15		- 15	IND	1380	46		
15				8.15		- 15	NHS IND	1440	48		
15				G R	78	- 15	PAS	480	16		
15				8.25		- 15	IND	1800	60		
15				8.25		R 15	IND	1740	58		
15				8.25		- 15	NHS IND	1800	60		
15				8.25		- 15	SS IND	1740	58		
15				8.25		- 15	TR T&B	600	20		
15				8.25		R 15	TR T&B	600	20		
15				F	70	- 15	PAS	480	16		
15				G	78	- 15	LT T&B	480	16		
15				G R	78	- 15	LT T&B	480	16		
15				H R	78	- 15	PAS	480	16		
15	P			215 / 60	- 15		PAS	420	14		
15	P			215 / 60	R 15		PAS	420	14		
15	P			215 / 65	R 15		PAS	420	14		
15	P			215 / 70	- 15		PAS	480	16		
15	P			215 / 70	R 15		PAS	480	16		
15	LT			215 / 75	- 15		T&B	480	16		

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter			Tyre Designation				Tyre Class		Volume ML (cc)	Ounces		
15	LT		215	/	75	R	15	T&B	480		16	
15	P		215	/	75	-	15	PAS	480		16	
15	P		215	/	75	R	15	PAS	480		16	
15			8.5	/	90	-	15	K OTR	1560		52	
15		27	x	8.50			-	15 NHS AGR	1320		44	
15		27	x	8.50			-	15 NHS IND	1320		44	
15		28	x	8.50			-	15 LT T&B	480		16	
15		28	x	8.50		R	15	LT T&B	480		16	
15				8.55			-	15 ST T&B	480		16	
15				H	78	-	15	PAS	480		16	
15				H	78	-	15	ST T&B	480		16	
15				G	70	-	15	PAS	480		16	
15				J	R 78	-	15	PAS	480		16	
15				G	R 70	-	15	PAS	480		16	
15				J	78	-	15	PAS	480		16	
15				H	78	-	15	LT T&B	480		16	
15				H	R 78	-	15	LT T&B	480		16	
15		30	x	8.8		R	15	AIR	600		20	
15				L	78	-	15	PAS	540		18	
15	P			225	/	50	-	15	PAS	420	14	
15	P			225	/	50	R	15	PAS	420	14	
15	P			225	/	55	R	15	PAS	420	14	
15	P			225	/	60	-	15	PAS	480	16	
15	P			225	/	60	R	15	PAS	480	16	
15	P			225	/	65	R	15	PAS	480	16	
15	P			225	/	70	-	15	PAS	480	16	
15	P			225	/	70	R	15	PAS	480	16	
15				225	/	75	R	15	IND	1500	50	
15	P			225	/	75	-	15	PAS	480	16	
15	P			225	/	75	R	15	PAS	480	16	
15	ST			225	/	75	R	15	T&B	480	16	
15				H	70	-	15	PAS	480		16	
15				9.00			-	15 DT OTR	1800		60	
15				9.00		R	15	DT OTR	1800		60	
15				9			-	15 LT T&B	600		20	
15				9		R	15	LT T&B	600		20	
15				9.00			-	15 NHS IND	2160		72	
15				9.00			-	15 TR T&B	720		24	
15				9.00		R	15	TR T&B	720		24	
15				L	R 78	-	15	PAS	540		18	
15		28	x	9			-	15	IND	1380	46	
15		28	x	9			-	15 NHS IND	1380		46	
15				F	60	-	15	PAS	480		16	

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter	Tyre Designation							Tyre Class	Volume ML (cc)	Ounces		
15				H	R	70	-	15	PAS	540	18	
15	P			235	/	60	-	15	PAS	480	16	
15	P			235	/	60	R	15	PAS	480	16	
15	P			235	/	65	R	15	PAS	480	16	
15	P			235	/	70	-	15	PAS	540	18	
15	P			235	/	70	R	15	PAS	540	18	
15	LT			235	/	75	-	15	T&B	540	18	
15	LT			235	/	75	R	15	T&B	540	18	
15	P			235	/	75	-	15	PAS	540	18	
15	P			235	/	75	R	15	PAS	540	18	
15				L	R	78	-	15	LT	T&B	540	18
15				L		78	-	15	LT	T&B	540	18
15				K		70	-	15	PAS	540	18	
15				9.50			-	15	FI	AGR	1380	46
15				9.5	L		-	15	FI	AGR	1740	58
15				9.5	L		-	15	SL	AGR	1740	58
15				G	R	60	-	15	PAS	480	16	
15		27	x	9.50			-	15	LT	T&B	480	16
15		27	x	9.50			R	15	LT	T&B	480	16
15		27	x	9.50			-	15	NHS	A&I	1380	46
15		29	x	9.50			-	15	LT	T&B	540	18
15		29	x	9.50			R	15	LT	T&B	540	18
15		30	x	9.50			-	15	LT	T&B	540	18
15		30	x	9.50			R	15	LT	T&B	540	18
15				9.60			-	15	SL	AGR	600	20
15				L		70	-	15	PAS	540	18	
15	P			245	/	50	-	15	PAS	480	16	
15	P			245	/	50	R	15	PAS	480	16	
15	P			245	/	60	-	15	PAS	540	18	
15	P			245	/	60	R	15	PAS	540	18	
15	P			245	/	65	R	15	PAS	540	18	
15	P			245	/	70	-	15	PAS	540	18	
15	P			245	/	70	R	15	PAS	540	18	
15				L	R	70	-	15	PAS	540	18	
15				G		60	-	15	PAS	540	18	
15				N		78	-	15	PAS	600	20	
15				250			-	15	IND	1620	54	
15				250			-	15	NHS	IND	1680	56
15				250	/	70	-	15	IND	1680	56	
15				250	/	70	R	15	IND	1680	56	
15				10.00			-	15	IND	2220	74	
15				10.00			R	15	IND	2220	74	
15				10			-	15	LT	T&B	600	20

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter	Tyre Designation						Tyre Class	Volume ML (cc)	Ounces			
15				10		R 15	LT	T&B	600			20
15				10.00	L	- 15	NHS	IND	2280			76
15				10.00		- 15	NHS	IND	2400			80
15				10.00		- 15	SL	AGR	2100			70
15				10.00		- 15	TR	T&B	780			26
15				10.00		R 15	TR	T&B	780			26
15		29	x	10		- 15	NHS	IND	1680			56
15	P			255 / 55	R 15			PAS	540			18
15	P			255 / 60	- 15			PAS	540			18
15	P			255 / 60	R 15			PAS	540			18
15	P			255 / 65	R 15			PAS	540			18
15	P			255 / 70	- 15			PAS	600			20
15	P			255 / 70	R 15			PAS	600			20
15	LT			255 / 75	- 15			T&B	600			20
15	LT			255 / 75	R 15			T&B	600			20
15				H R 60	- 15			PAS	540			18
15				H 60	- 15			PAS	540			18
15				G 50	- 15			PAS	540			18
15	P			265 / 50	- 15			PAS	540			18
15	P			265 / 50	R 15			PAS	540			18
15	P			265 / 60	- 15			PAS	600			20
15	P			265 / 60	R 15			PAS	600			20
15	P			265 / 75	- 15			PAS	660			22
15	P			265 / 75	R 15			PAS	660			22
15				L 60	- 15			PAS	600			20
15				L R 60	- 15			PAS	600			20
15		27	x	10.50		- 15	NHS	A&I	1560			52
15		31	x	10.50		- 15	LT	T&B	660			22
15		31	x	10.50		R 15	LT	T&B	660			22
15		33	x	10.50		- 15	LT	T&B	660			22
15		33	x	10.50		R 15	LT	T&B	660			22
15	P			275 / 50	- 15			PAS	540			18
15	P			275 / 50	R 15			PAS	540			18
15	P			275 / 60	- 15			PAS	600			20
15	P			275 / 60	R 15			PAS	600			20
15				11 L	- 15		FI	AGR	1920			64
15				11	- 15		LT	T&B	660			22
15				11	R 15		LT	T&B	660			22
15				11.00	- 15		NHS	IND	2520			84
15				11 L	- 15		SL	AGR	2040			68
15				11.00	- 15		TR	T&B	840			28
15				11.00	R 15		TR	T&B	840			28
15		36	x	11	- 15		NHS	IND	2280			76

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter	Tyre Designation							Tyre Class	Volume ML (cc)	Ounces		
15	P			285	/	70	-	15	PAS	660	22	
15	P			285	/	70	R	15	PAS	660	22	
15		31	x	11.50			-	15	LT	T&B	660	22
15		31	x	11.50			R	15	LT	T&B	660	22
15		32	x	11.5			-	15		AIR	720	24
15		32	x	11.50			-	15	LT	T&B	720	24
15		32	x	11.50			R	15	LT	T&B	720	24
15	P			295	/	50	-	15	PAS	600	20	
15	P			295	/	50	R	15	PAS	600	20	
15				300			-	15		IND	2220	74
15				300			-	15	NHS	IND	2220	74
15				12			-	15	LT	T&B	780	26
15				12			R	15	LT	T&B	780	26
15		28	x	12			-	15	NHS	IND	1920	64
15		32	x	12			-	15	NHS	IND	2220	74
15				315	/	70	R	15		IND	2220	74
15				12.5	L		-	15	FI	A&I	2340	78
15				12.5	L		-	15	SL	A&I	2340	78
15		25	x	12.50			-	15	NHS	A&I	1740	58
15		29	x	12.50			-	15	NHS	A&I	2040	68
15		31	x	12.50			-	15	NHS	A&I	2160	72
15		33	x	12.50			-	15	LT	T&B	780	26
15		33	x	12.50			R	15	LT	T&B	780	26
15		33	x	12.50			-	15	NHS	AGR	2340	78
15		35	x	12.50			-	15	LT	T&B	840	28
15		35	x	12.50			R	15	LT	T&B	840	28
15		36	x	12.50			-	15	LT	T&B	840	28
15		36	x	12.50			R	15	LT	T&B	840	28
15		37	x	12.50			-	15	LT	T&B	900	30
15		37	x	12.50			R	15	LT	T&B	900	30
15				N		50	-	15		PAS	660	22
15	P			325	/	50	-	15		PAS	720	24
15	P			325	/	50	R	15		PAS	720	24
15		28	x	13			-	15	NHS	IND	2100	70
15				13.50			-	15	FI	AGR	2400	80
15		31	x	13.50			-	15	LT	T&B	780	26
15		31	x	13.50			R	15	LT	T&B	780	26
15		31	x	13.50			-	15	NHS	AGR	2400	80
15		36	x	13.50			-	15	NHS	AGR	2820	94
15				355	/	65	-	15		IND	2640	88
15	H	37	x	14.0			-	15		AIR	1020	34
15				14.50	L		-	15	NHS	IND	2940	98
15		35	x	14.50			-	15	LT	T&B	960	32

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter	Tyre Designation						Tyre Class	Volume ML (cc)	Ounces			
15		35	x	14.50		R 15	LT	T&B	960			32
15		36	x	14.50		- 15	LT	T&B	1020			34
15		36	x	14.50		R 15	LT	T&B	1020			34
15		37	x	14.50		- 15	LT	T&B	1020			34
15		37	x	14.50		R 15	LT	T&B	1020			34
15	S			375	/ 60	- 15		PAS	960			32
15	S			375	/ 60	R 15		PAS	960			32
15		32	x	15		- 15	NHS	IND	2640			88
15		35	x	15		- 15	NHS	IND	3000			100
15		31	x	15.50		- 15	LT	T&B	900			30
15		31	x	15.50		R 15	LT	T&B	900			30
15		31	x	15.50		- 15	NHS	AGR	2760			92
15		39	x	15.50		- 15	LT	T&B	1140			38
15		39	x	15.50		R 15	LT	T&B	1140			38
16	M			2.50		- 16		CYM	120			4
16	M			2.75		- 16		CYM	180			6
16	M			70	/ 90	- 16		CYM	120			4
16	M			70	/ 100	- 16		CYM	180			6
16	M			3.00		- 16		CYM	180			6
16	M			80	/ 90	- 16		CYM	180			6
16	M			80	/ 100	- 16		CYM	180			6
16	M			3.25		- 16		CYM	180			6
16	M			3.50		- 16		CYM	180			6
16	M			90	/ 90	- 16		CYM	180			6
16	M			90	/ 100	- 16		CYM	180			6
16	M			100	/ 80	- 16		CYM	240			8
16	M			100	/ 90	- 16		CYM	240			8
16	M			100	/ 100	- 16		CYM	240			8
16	T			105	/ 70	- 16		PAS	240			8
16	T			105	/ 70	R 16		PAS	240			8
16	M			P	75	- 16		CYM	180			6
16	M			110	/ 80	- 16		CYM	240			8
16	M			110	/ 80	R 16		CYM	240			8
16	M			110	/ 90	- 16		CYM	240			8
16	T			115	/ 70	- 16		PAS	240			8
16	T			115	/ 70	R 16		PAS	240			8
16	M			4.60		- 16		CYM	240			8

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter			Tyre Designation				Tyre Class	Volume ML (cc)	Ounces			
16	M		120	/	70	-	16	CYM	240		8	
16	M		120	/	80	-	16	CYM	240		8	
16	M		120	/	80	R	16	CYM	240		8	
16	M		120	/	90	-	16	CYM	240		8	
16	M				R	85	-	16	CYM	240	8	
16	T		125	/	70	-	16	PAS	240		8	
16	T		125	/	70	R	16	PAS	240		8	
16	T		125	/	80	-	16	PAS	240		8	
16	T		125	/	80	R	16	PAS	240		8	
16	T		125	/	90	-	16	PAS	300		10	
16	T		125	/	90	R	16	PAS	300		10	
16	M		5.00			-	16	CYM	300		10	
16	M		130	/	60	R	16	CYM	240		8	
16	M		130	/	70	-	16	CYM	300		10	
16	M		130	/	70	R	16	CYM	300		10	
16	M		130	/	80	-	16	CYM	300		10	
16	M		130	/	90	-	15	CYM	300		10	
16	M		130	/	90	-	16	CYM	300		10	
16	M		130	/	100	-	16	CYM	300		10	
16	M				T	90	-	16	CYM	300	10	
16	T		135	/	70	-	16	PAS	300		10	
16	T		135	/	70	R	16	PAS	300		10	
16			5.50			-	16	SL	AGR	960	32	
16	M		140	/	80	-	16	CYM	300		10	
16	M		140	/	90	-	16	CYM	300		10	
16	M		140	/	90	R	16	CYM	300		10	
16	M				U	90	-	16	CYM	300	10	
16	T		145	/	80	-	16	PAS	300		10	
16	T		145	/	80	R	16	PAS	300		10	
16	T		145	/	90	-	16	PAS	300		10	
16	T		145	/	90	R	16	PAS	300		10	
16	M		150	/	80	-	16	CYM	360		12	
16	M		150	/	80	R	16	CYM	360		12	
16	M		150	/	90	-	16	CYM	360		12	
16			6			-	16	AGR	960		32	
16			6.00			-	16	LT	T&B	420	14	
16			6.00			R	16	LT	T&B	420	14	
16			6.00			-	16	NHS	IND	1020	34	
16			6.00			-	16	SL	AGR	1080	36	
16	P		155	/	80	D	16	PAS	300		10	
16	T		155	/	80	-	16	PAS	300		10	
16	T		155	/	80	R	16	PAS	300		10	
16	T		155	/	90	-	16	PAS	360		12	

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter				Tyre Designation				Tyre Class	Volume ML (cc)		Ounces	
16	T			155	/	90	R 16	PAS	360		12	
16	M			160	/	60	R 16	CYM	360		12	
16	M			160	/	70	- 16	CYM	360		12	
16	M			160	/	70	R 16	CYM	360		12	
16	M			160	/	80	- 16	CYM	360		12	
16	M			160	/	80	R 16	CYM	360		12	
16				6.50			- 16	LT T&B	420		14	
16				6.50			R 16	LT T&B	420		14	
16				6.50			- 16	SL AGR	1200		40	
16				7.00			- 16	IND	1380		46	
16				7.00			- 16	LT T&B	480		16	
16				7.00			R 16	LT T&B	480		16	
16				7.00			- 16	ML T&B	960		32	
16				7.50			- 16	IND	1500		50	
16				7.50			- 16	LT T&B	540		18	
16				7.50			R 16	LT T&B	540		18	
16				7.50			- 16	SL AGR	1440		48	
16				7.50			- 16	SS IND	1560		52	
16				F		78	- 16	LT T&B	420		14	
16				8.00			- 16	SL AGR	1500		50	
16	P			205	/	55	R 16	PAS	420		14	
16				8.3			- 16	AGR	1500		50	
16	P			215	/	60	- 16	PAS	420		14	
16	P			215	/	60	R 16	PAS	420		14	
16	P			215	/	70	- 16	PAS	480		16	
16	P			215	/	70	R 16	PAS	480		16	
16	LT			215	/	85	- 16	T&B	540		18	
16	LT			215	/	85	R 16	T&B	540		18	
16				H		78	- 16	LT T&B	540		18	
16		32	x	8.8				AIR	540		18	
16	P			225	/	50	- 16	PAS	420		14	
16	P			225	/	50	R 16	PAS	420		14	
16	P			225	/	55	R 16	PAS	480		16	
16	P			225	/	60	- 16	PAS	480		16	
16	P			225	/	60	R 16	PAS	480		16	
16	LT			225	/	75	- 16	T&B	540		18	
16	LT			225	/	75	R 16	T&B	540		18	
16	P			225	/	75	- 16	PAS	360		12	
16	P			225	/	75	R 16	PAS	360		12	
16				9.00			- 16	IND	2040		68	
16				9.00			- 16	DT OTR	1920		64	
16				9.00			R 16	DT OTR	1920		64	
16				9.00			- 16	LT T&B	720		24	

Arnco													
ReSeal™ Volume Chart													
(Listed by Increasing Rim Diameter then by Tyre Width)													
Rim Diameter			Tyre Designation						Tyre Class	Volume ML (cc)	Ounces		
16			9.00			R	16	LT	T&B	720		24	
16			9.00			-	16	SL	AGR	1740		58	
16		34	x	9.25			-	16	AIR	600		20	
16	P			235	/	50	-	16	PAS	480		16	
16	P			235	/	50	R	16	PAS	480		16	
16	P			235	/	55	R	16	PAS	480		16	
16	P			235	/	60	-	16	PAS	480		16	
16	P			235	/	60	R	16	PAS	480		16	
16	P			235	/	65	R	16	PAS	540		18	
16	P			235	/	70	-	16	PAS	540		18	
16	P			235	/	70	R	16	PAS	540		18	
16	LT			235	/	85	-	16	T&B	600		20	
16	LT			235	/	85	R	16	T&B	600		20	
16				L		78	-	16	LT	T&B	540	18	
16				L	R	78	-	16	LT	T&B	540	18	
16				9.5			-	16	AGR	1800		60	
16				9.50			-	16	AIR	660		22	
16	P			245	/	50	-	16	PAS	480		16	
16	P			245	/	50	R	16	PAS	480		16	
16	P			245	/	70	-	16	PAS	600		20	
16	P			245	/	70	R	16	PAS	600		20	
16	LT			245	/	75	-	16	T&B	600		20	
16	LT			245	/	75	R	16	T&B	600		20	
16	P			245	/	75	-	16	PAS	600		20	
16	P			245	/	75	R	16	PAS	600		20	
16				10.00			-	16	SL	AGR	2160	72	
16	P			255	/	45	R	16	PAS	480		16	
16	P			255	/	50	-	16	PAS	540		18	
16	P			255	/	50	R	16	PAS	540		18	
16	LT			255	/	85	-	16	T&B	660		22	
16	LT			255	/	85	R	16	T&B	660		22	
16	P			265	/	50	-	16	PAS	540		18	
16	P			265	/	50	R	16	PAS	540		18	
16	P			265	/	75	-	16	PAS	660		22	
16	P			265	/	75	R	16	PAS	660		22	
16	P			275	/	50	-	16	PAS	600		20	
16	P			275	/	50	R	16	PAS	600		20	
16	P			275	/	70	-	16	PAS	660		22	
16	P			275	/	70	R	16	PAS	660		22	
16				11.00			-	16	DT	OTR	2220	74	
16				11.00			R	16	DT	OTR	2220	74	
16				11	L		-	16	SL	AGR	2100	70	
16				11.00			-	16	SL	AGR	2700	90	

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter	Tyre Designation						Tyre Class	Volume ML (cc)	Ounces			
16		36	x	11			AIR	780	26			
16	P			285	/	70 - 16	PAS	720	24			
16	P			285	/	70 R 16	PAS	720	24			
16	LT			285	/	75 - 16	T&B	720	24			
16	LT			285	/	75 R 16	T&B	720	24			
16				12.4		- 16	AGR	2580	86			
16	P			315	/	40 R 16	PAS	660	22			
16				12.50		- 16	AIR	960	32			
16				12.5	L	- 16	SL AGR	2400	80			
16		37	x	13.0		- 16	AIR	960	32			
16		39	x	13			AIR	960	32			
16				13.6		- 16	AGR	2820	94			
16		40	x	14			AIR	1080	36			
16				15.00		- 16	AIR	1260	42			
16		42	x	15			AIR	1260	42			
16		40	x	15.5		- 16	AIR	1200	40			
16		40.5	x	15.5		- 16	AIR	1200	40			
16				16.00		- 16	DT OTR	3420	114			
16				16.00		R 16	DT OTR	3420	114			
16				17.00		- 16	AIR	1500	50			
16.1				13.50		- 16.1	SL AGR	3180	106			
16.1				14	L	- 16.1	SL AGR	3120	104			
16.1				14.5	/	75 - 16.1	SL AGR	3120	104			
16.1				16.5	L	- 16.1	SL AGR	3960	132			
16.1				18.4		- 16.1	AGR	4680	156			
16.1				19	L	- 16.1	SL AGR	4620	154			
16.1		38	x	20.00		- 16.1	NHS AGR	4260	142			
16.1				21.5	L	- 16.1	SL AGR	5400	180			
16.31		20	x	1.75			CYB	180	6			
16.31		20	x	1.75	/	47 - 406	CYB	180	6			
16.31		20	x	2.125			CYB	240	8			
16.48		20	x	1 3/4			CYB	180	6			
16.5				8.00		- 16.5	LT T&B	480	16			
16.5				8.00		R 16.5	LT T&B	480	16			
16.5				8.75		- 16.5	LT T&B	540	18			
16.5				8.75		R 16.5	LT T&B	540	18			
16.5				9.50		- 16.5	LT T&B	600	20			
16.5				9.50		R 16.5	LT T&B	600	20			
16.5		30	x	9.50		- 16.5	LT T&B	540	18			
16.5		30	x	9.50		R 16.5	LT T&B	540	18			
16.5				10		- 16.5	LT T&B	600	20			
16.5				10		R 16.5	LT T&B	600	20			
16.5				10		- 16.5	NHS IND	1800	60			

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tyre Width)

Rim Diameter	Tyre Designation			Tyre Class	Volume ML (cc)	Ounces
16.5	31	x	10.50	- 16.5 LT T&B	660	22
16.5	31	x	10.50	R 16.5 LT T&B	660	22
16.5	31	x	11.50	- 16.5 LT T&B	660	22
16.5	31	x	11.50	R 16.5 LT T&B	660	22
16.5			12	- 16.5 LT T&B	780	26
16.5			12	R 16.5 LT T&B	780	26
16.5			12	- 16.5 NHS IND	2280	76
16.5	33	x	12.50	- 16.5 LT T&B	780	26
16.5	33	x	12.50	R 16.5 LT T&B	780	26
16.5	36	x	12.50	- 16.5 LT T&B	840	28
16.5	36	x	12.50	R 16.5 LT T&B	840	28
16.5	37	x	12.50	- 16.5 LT T&B	840	28
16.5	37	x	12.50	R 16.5 LT T&B	840	28
16.5	36	x	14.50	- 16.5 LT T&B	960	32
16.5	36	x	14.50	R 16.5 LT T&B	960	32
16.5	37	x	14.50	- 16.5 LT T&B	1020	34
16.5	37	x	14.50	R 16.5 LT T&B	1020	34

Arnco										
ReSeal™ Volume Chart										
(Listed by Increasing Rim Diameter then by Tyre Width)										
Rim Diameter			Tyre Designation				Tyre Class	Volume ML (cc)		Ounces
17	M		2.25		- 17		CYM	120		4
17	M		60 / 90		- 17		CYM	120		4
17	M		60 / 100		- 17		CYM	120		4
17	M		2.50		- 17		CYM	120		4
17	M		2.75		- 17		CYM	180		6
17	M		70 / 90		- 17		CYM	180		6
17	M		70 / 100		- 17		CYM	180		6
17	M		3.00		- 17		CYM	180		6
17	M		80 / 80		- 17		CYM	180		6
17	M		80 / 90		- 17		CYM	180		6
17	M		80 / 100		- 17		CYM	180		6
17	M		3.25		- 17		CYM	180		6
17	M		3.50		- 17		CYM	240		8
17	M		90 / 80		- 17		CYM	180		6
17	M		90 / 90		- 17		CYM	180		6
17	M		90 / 100		- 17		CYM	180		6
17	M		100 / 70		- 17		CYM	240		8
17	M		100 / 70	R 17			CYM	240		8
17	M		100 / 80		- 17		CYM	240		8
17	M		100 / 80	R 17			CYM	240		8
17	M		100 / 90		- 17		CYM	240		8
17	M		100 / 100		- 17		CYM	240		8
17	M		4.25		- 17		CYM	240		8
17	M		110 / 70		- 17		CYM	240		8
17	M		110 / 70	R 17			CYM	240		8
17	M		110 / 80		- 17		CYM	240		8
17	M		110 / 80	R 17			CYM	240		8
17	M		110 / 90		- 17		CYM	240		8
17	M		4.50		- 17		CYM	300		10
17	M		4.60		- 17		CYM	240		8
17	M		120 / 60	R 17			CYM	240		8
17	M		120 / 70		- 17		CYM	240		8
17	M		120 / 70	R 17			CYM	240		8
17	M		120 / 80		- 17		CYM	240		8
17	M		120 / 90		- 17		CYM	300		10
17	M		120 / 100		- 17		CYM	300		10
17	M		5.10		- 17		CYM	300		10
17	M		130 / 60	R 17			CYM	300		10
17	M		130 / 70		- 17		CYM	300		10
17	M		130 / 70	R 17			CYM	300		10
17	M		130 / 80		- 17		CYM	300		10

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter			Tyre Designation				Tyre Class	Volume ML (cc)	Ounces			
17	M		130	/	90	-	17	CYM	300			10
17	M		130	/	100	-	17	CYM	300			10
17	M		S		90	-	17	CYM	300			10
17	M		T		90	-	17	CYM	300			10
17	M		140	/	60	R	17	CYM	300			10
17	M		140	/	70	-	17	CYM	300			10
17	M		140	/	70	R	17	CYM	300			10
17	M		140	/	80	-	17	CYM	300			10
17	M		140	/	80	R	17	CYM	300			10
17	M		150	/	60	R	17	CYM	300			10
17	M		150	/	70	-	17	CYM	360			12
17	M		150	/	70	R	17	CYM	360			12
17	M		150	/	90	-	17	CYM	360			12
17			6.00			-	17	T&B	360			12
17			6.00			R	17	T&B	360			12
17	T		155	/	70	-	17	PAS	300			10
17	T		155	/	70	R	17	PAS	300			10
17	M		160	/	60	-	17	CYM	360			12
17	M		160	/	60	R	17	CYM	360			12
17	M		160	/	70	-	17	CYM	360			12
17	M		170	/	60	-	17	CYM	360			12
17	M		170	/	60	R	17	CYM	360			12
17			7.00			-	17	T&B	540			18
17			7.00			R	17	T&B	540			18
17	M		180	/	50	R	17	CYM	360			12
17	M		180	/	55	R	17	CYM	360			12
17	M		180	/	60	R	17	CYM	420			14
17			7.50			-	17	T&B	540			18
17			7.50			R	17	T&B	540			18
17			8.25			-	17	T&B	600			20
17			8.25			R	17	T&B	600			20
17			225	/	50	R	17	PAS	420			14
17	P		245	/	40	R	17	PAS	480			16
17	P		245	/	45	R	17	PAS	480			16
17	P		255	/	45	R	17	PAS	540			18
17	P		275	/	40	R	17	PAS	540			18
17	P		285	/	35	R	17	PAS	540			18
17	P		285	/	40	R	17	PAS	600			20
17	P		315	/	35	R	17	PAS	660			22
17	P		335	/	35	R	17	PAS	660			22
17	C	40	x	18.0		-	17	AIR	1380			46
17.5			7			-	17.5	LT	T&B	420		14
17.5			7			R	17.5	LT	T&B	420		14

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter	Tyre Designation				Tyre Class	Volume ML (cc)	Ounces					
17.5				8	R 17.5	HC T&B	480					16
17.5				8	- 17.5	LT T&B	480					16
17.5				8	R 17.5	LT T&B	480					16
17.5				215 / 75	R 17.5	IND	1500					50
17.5				215 / 75	R 17.5	HC T&B	480					16
17.5				9	R 17.5	HC T&B	600					20
17.5				235 / 75	R 17.5	IND	1680					56
17.5				9.5	R 17.5	IND	1800					60
17.5				245 / 70	R 17.5	IND	1740					58
17.5				10	R 17.5	HC T&B	720					24
17.5				10	- 17.5	LT T&B	660					22
17.5				10	R 17.5	LT T&B	660					22
17.5				275 / 65	R 17.5	HC T&B	660					22
17.5				11	R 17.5	HC T&B	780					26
17.5				14	- 17.5	T&B	960					32
17.5				14	R 17.5	T&B	960					32
17.5				14	- 17.5	ML T&B	1920					64
17.5				14	- 17.5	NHS IND	2820					94
17.5		36	x	16	- 17.5	NHS AGR	3300					110
17.72	CT			205 / 45	R 450	PAS	420					14
17.75		20	x	1.25		CYB	120					4
17.75		20	x	1 1/4		CYB	120					4
17.75		20	x	1.375		CYB	120					4
17.75		20	x	1 3/8		CYB	120					4
18	M			2.50	- 18	CYM	120					4
18	M			2.75	- 18	CYM	180					6
18	M			70 / 90	- 18	CYM	180					6
18	M			70 / 100	- 18	CYM	180					6
18	M			3.00	- 18	CYM	180					6
18	M			80 / 80	- 18	CYM	180					6
18	M			80 / 90	- 18	CYM	180					6
18	M			80 / 100	- 18	CYM	180					6
18	M			3.25	- 18	CYM	240					8
18	M			3.50	- 18	CYM	240					8
18	M			90 / 80	- 18	CYM	180					6
18	M			90 / 90	- 18	CYM	180					6

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tyre Width)

Rim Diameter		Tyre Designation		Tyre Class	Volume ML (cc)	Ounces
18	M	90 / 100 - 18		CYM	240	8
18	M	J 90 - 18		CYM	180	6
18	M	L 90 - 18		CYM	240	8
18	M	M 90 - 18		CYM	240	8
18	M	100 / 80 - 18		CYM	240	8
18	M	100 / 90 - 18		CYM	240	8
18	M	100 / 100 - 18		CYM	240	8
18		4.00 - 18	SL	AGR	660	22
18	M	4.00 - 18		CYM	240	8
18	M	4.10 - 18		CYM	240	8
18	M	4.25 - 18		CYM	300	10
18	M	4.25 / 85 - 18		CYM	240	8
18	M	110 / 70 - 18		CYM	240	8
18	M	110 / 70 R 18		CYM	240	8
18	M	110 / 80 - 18		CYM	240	8
18	M	110 / 80 R 18		CYM	240	8
18	M	110 / 90 - 18		CYM	240	8
18	M	110 / 100 - 18		CYM	240	8
18	M	N 90 - 18		CYM	240	8
18	M	P 85 - 18		CYM	240	8
18	M	P 90 - 18		CYM	300	10
18	M	4.60 - 18		CYM	300	10
18	M	120 / 60 R 18		CYM	240	8
18	M	120 / 70 - 18		CYM	240	8
18	M	120 / 80 - 18		CYM	300	10
18	M	120 / 90 - 18		CYM	300	10
18	M	120 / 100 - 18		CYM	300	10
18	M	R 90 - 18		CYM	300	10
18	M	5.10 - 18		CYM	300	10
18	M	130 / 60 - 18		CYM	300	10
18	M	130 / 60 R 18		CYM	300	10
18	M	130 / 70 - 18		CYM	300	10
18	M	130 / 80 - 18		CYM	300	10
18	M	130 / 80 R 18		CYM	300	10
18	M	130 / 90 - 18		CYM	300	10
18	M	130 / 100 - 18		CYM	300	10
18	M	S 85 - 18		CYM	300	10
18	M	T 85 - 18		CYM	300	10
18	M	140 / 60 - 18		CYM	300	10
18	M	140 / 60 R 18		CYM	300	10
18	M	140 / 70 - 18		CYM	300	10
18	M	140 / 70 R 18		CYM	300	10
18	M	140 / 80 - 18		CYM	300	10

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tyre Width)

Rim Diameter			Tyre Designation		Tyre Class	Volume ML (cc)	Ounces
18	M		150 / 60	- 18	CYM	360	12
18	M		150 / 60	R 18	CYM	360	12
18	M		150 / 70	- 18	CYM	360	12
18	M		150 / 70	R 18	CYM	360	12
18	T		155 / 80	- 18	PAS	360	12
18	T		155 / 80	R 18	PAS	360	12
18	M		160 / 60	- 18	CYM	360	12
18	M		160 / 60	R 18	CYM	360	12
18	M		160 / 70	- 18	CYM	360	12
18	M		170 / 60	- 18	CYM	420	14
18	M		170 / 60	R 18	CYM	360	12
18			7.00	- 18	T&B	660	22
18			7.00	R 18	T&B	660	22
18	M		180 / 50	R 18	CYM	360	12
18	M		180 / 55	R 18	CYM	420	14
18			7.50	- 18	T&B	720	24
18			7.50	R 18	T&B	720	24
18			7.50	- 18	NHS IND	1740	58
18			7.50	- 18	SL AGR	1560	52
18	P		275 / 35	R 18	PAS	540	18
18		40	x 12		AIR	960	32
18	P		335 / 35	R 18	PAS	660	22
18		41	x 15.0	- 18	AIR	1200	40
18		44	x 16	- 18	AIR	1320	44
18		44.5	x 16.5	- 18	AIR	1440	48
18.5			13	- 18.5	NHS IND	1080	36

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tyre Width)

Rim Diameter			Tyre Designation				Tyre Class	Volume ML (cc)	Ounces	
19	M		100	/ 100	-	19	CYM	240	8	
19			4.00		-	19	SL AGR	720	24	
19	M		4.10		-	19	CYM	240	8	
19	M		110	/ 80	-	19	CYM	240	8	
19	M		110	/ 90	-	19	CYM	240	8	
19	M		110	/ 100	-	19	CYM	300	10	
19	M		120	/ 80	-	19	CYM	300	10	
19	M		120	/ 90	-	19	CYM	300	10	
19	M		120	/ 100	-	19	CYM	300	10	
19	M		130	/ 80	-	19	CYM	300	10	
19	M		140	/ 80	-	19	CYM	360	12	
19	H	40	x	14.0		-	19	AIR	1080	36
19	H	40	x	14.5		-	19	AIR	1140	38
19	H	42	x	16.0		-	19	AIR	1320	44
19.5				8		-	19.5	T&B	660	22
19.5				8		R	19.5	T&B	660	22
19.5				225	/ 70	R	19.5	T&B	720	24
19.5				245	/ 70	R	19.5	T&B	780	26
19.5				245	/ 70	R	19.5	IND	1860	62
19.5				265	/ 70	R	19.5	IND	2100	70
19.5				285	/ 70	R	19.5	IND	2280	76
19.5				15		-	19.5	T&B	1440	48
19.5				15		R	19.5	T&B	1440	48
19.5				15		-	19.5	ML T&B	2940	98
19.5				15		-	19.5	NHS IND	3540	118
19.5				16.5		-	19.5	T&B	1680	56
19.5				16.5		R	19.5	T&B	1680	56
19.5				16.5		-	19.5	ML T&B	3360	112
19.5				18		-	19.5	T&B	1800	60
19.5				18		R	19.5	T&B	1800	60
19.5				18		-	19.5	ML T&B	3660	122
19.5		40	x	19		-	19.5	NHS AGR	4320	144
19.5				19.5		-	19.5	T&B	2100	70
19.5				19.5		R	19.5	T&B	2100	70
19.5				19.5		-	19.5	ML T&B	4200	140
19.5				22.5		-	19.5	ML T&B	4800	160

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter	Tyre Designation						Tyre Class	Volume ML (cc)	Ounces			
20						10.00 - 20	NHS	OTR	2700	90		
20						10.00 - 20	TG	OTR	2640	88		
20						275 / 85 D 20		IND	2400	80		
20						11.00 - 20		T&B	1200	40		
20						11.00 - 20		IND	2880	96		
20						11.00 R 20		T&B	1200	40		
20						11.00 - 20	ML	T&B	2400	80		
20						11.00 - 20	NHS	OTR	2940	98		
20						11.1 - 20		T&B	1080	36		
20						11.50 - 20		T&B	1200	40		
20						11.50 R 20		T&B	1200	40		
20						11.9 - 20		T&B	1200	40		
20						12.00 - 20		T&B	1320	44		
20						12.00 - 20		IND	3180	106		
20						12.00 R 20		T&B	1320	44		
20						12.00 - 20	ML	T&B	2640	88		
20						12.00 - 20	NHS	OTR	3240	108		
20						12.00 R 20	NHS	OTR	3240	108		
20						315 / 80 D 20		IND	2820	94		
20						13.00 - 20		IND	3540	118		
20						13.00 - 20		T&B	1500	50		
20						13.00 R 20		T&B	1500	50		
20						13.00 - 20	ML	T&B	3000	100		
20						13.00 - 20	TG	OTR	3480	116		
20						345 / 80 D 20		IND	3300	110		
20						355 / 80 D 20		IND	3420	114		
20						14.00 - 20		T&B	1740	58		
20						14.00 R 20		T&B	1740	58		
20						14.00 - 20	DT	OTR	4020	134		
20						14.00 R 20	DT	OTR	4020	134		
20						14.00 - 20	ML	T&B	3480	116		
20						14.00 R 20	ML	T&B	3480	116		
20						14.00 - 20	NHS	OTR	4200	140		
20						14.00 R 20	NHS	OTR	4200	140		
20						14.00 - 20	TG	OTR	4200	140		
20						14 / 80 R 20		IND	3360	112		
20		38	×			14.00 - 20	NHS	AGR	3120	104		
20						15.50 - 20		AIR	1380	46		
20						16.00 R 20		T&B	2040	68		
20						16.00 - 20	DT	OTR	5040	168		
20						16.00 R 20	DT	OTR	5040	168		
20		46	×			16		AIR	1380	46		
20	H	44.5	×			16.5 - 20		AIR	1440	48		

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tyre Width)

Rim Diameter	Tyre Designation				Tyre Class	Volume ML (cc)	Ounces
20				425 / 95 R	20 OTR	4860	162
20				17.00	- 20 AIR	1620	54
20	H	45	x	17.0	- 20 AIR	1440	48
20		49	x	17		1620	54
20		38	x	18.00	- 20 NHS AGR	4020	134
20		44	x	18.00	- 20 NHS AGR	4620	154
20		44	x	18	- 20 NHS IND	4500	150
20	H	46	x	18.0	- 20 AIR	1560	52
20		49	x	19.0	- 20 AIR	1800	60
20		50	x	20.0	- 20 AIR	1920	64
20		56	x	20.0	- 20 AIR	2160	72
20		52	x	20.5	- 20 AIR	2040	68
20		50	x	21.0	- 20 AIR	1980	66
20		42	x	25.00	- 20 NHS AGR	5880	196
20		48	x	25.00	- 20 NHS AGR	6960	232
20		48	x	31.00	- 20 NHS AGR	8460	282
20		44	x	41.00	- 20 NHS AGR	9960	332
20.30		24	x	2.125		CYB 240	8
20.30		24	x	2.125 / 57	- 507	CYB 240	8
20.31		24	x	1.75		CYB 180	6
20.31		24	x	2.125		CYB 240	8
20.48		24	x	1 3/4		CYB 180	6
21	M			2.50	- 21 CYM	180	6
21	M			2.75	- 21 CYM	180	6
21	M			70 / 90	- 21 CYM	180	6
21	M			3.00	- 21 CYM	180	6
21	M			80 / 90	- 21 CYM	180	6
21	M			80 / 100	- 21 CYM	180	6
21	M			H 90	- 21 CYM	180	6
21	M			90 / 90	- 21 CYM	240	8
21	M			100 / 90	- 21 CYM	240	8
21	M			100 / 100	- 21 CYM	240	8
21				12.00	- 21 ML T&B	2640	88
21				12.00	- 21 NHS OTR	3180	106
21				12.00	R 21 NHS OTR	3180	106

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tyre Width)

Rim Diameter	Tyre Designation			Tyre Class	Volume ML (cc)	Ounces	
21			14.00	R 21	T&B	1740	58
21			14.00	- 21	ML T&B	3480	116
21			14.00	R 21	ML T&B	3480	116
21			14.00	- 21	NHS OTR	4200	140
21			14.00	R 21	NHS OTR	4200	140
21	C	40	× 14.0	- 21	AIR	1080	36
21			14.5	- 21	T&B	1800	60
21			16.00	R 21	T&B	2040	68
21			16.00	- 21	NHS OTR	5280	176
21			16.00	R 21	NHS OTR	5280	176
21			18	- 21	ML T&B	3960	132
21			23	- 21	ML T&B	5640	188
21			24	- 21	DT OTR	7320	244
21			24	R 21	DT OTR	7320	244
21			27.25	- 21	DT OTR	9060	302
21			27.25	R 21	DT OTR	9060	302
21.24	24	×	1 3/8		CYB	180	6
21.52	24	×	1 1/4		CYB	180	6
21.75	24	×	1.25		CYB	180	6
21.75	24	×	1.375		CYB	180	6

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tyre Width)

Rim Diameter				Tyre Designation			Tyre Class	Volume ML (cc)	Ounces
22				10.00	-	22	T&B	1140	38
22				10.00	R	22	T&B	1140	38
22				10.00	-	22	ML T&B	2280	76
22				11.00	-	22	T&B	1260	42
22				11.00	R	22	T&B	1260	42
22				11.00	-	22	ML T&B	2520	84
22	H	49	x	19.0	-	22	AIR	1800	60
22.31		26	x	1.75			CYB	240	8
22.31		26	x	2.10			CYB	240	8
22.31		26	x	2.125			CYB	240	8
22.48		26	x	1 3/4			CYB	240	8
22.5				8	-	22.5	T&B	720	24
22.5				8	R	22.5	T&B	720	24
22.5				9	-	22.5	T&B	840	28
22.5				9	R	22.5	T&B	840	28
22.5				9	-	22.5	ML T&B	1680	56
22.5				245 / 75	-	22.5	T&B	900	30
22.5				245 / 75	R	22.5	T&B	900	30
22.5				250 / 70	R	22.5	T&B	900	30
22.5				10	-	22.5	T&B	960	32
22.5				10	R	22.5	T&B	960	32
22.5				10	-	22.5	ML T&B	1980	66
22.5				10	-	22.5	NHS OTR	2340	78
22.5				265 / 75	-	22.5	T&B	960	32
22.5				265 / 75	R	22.5	T&B	960	32
22.5				11	-	22.5	T&B	1080	36
22.5				11	R	22.5	T&B	1080	36
22.5				11	-	22.5	ML T&B	2220	74
22.5				11	-	22.5	NHS OTR	2640	88
22.5				295 / 75	-	22.5	T&B	1140	38
22.5				295 / 75	R	22.5	T&B	1140	38
22.5				12	-	22.5	T&B	1200	40
22.5				12	R	22.5	T&B	1200	40
22.5				12	-	22.5	ML T&B	2460	82

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tyre Width)

Rim Diameter	Tyre Designation		Tyre Class	Volume ML (cc)	Ounces
22.5	12	-	22.5 NHS OTR	2940	98
22.5	305 / 75	R	22.5 T&B	1200	40
22.5	315 / 80	R	22.5 T&B	1260	42
22.5	12.5	-	22.5 T&B	1200	40
22.5	12.5	R	22.5 T&B	1200	40
22.5	12.75	-	22.5 T&B	1260	42
22.5	12.75	R	22.5 T&B	1260	42
22.5	13	-	22.5 T&B	1320	44
22.5	13	-	22.5 NHS OTR	3240	108
22.5	15	-	22.5 T&B	1560	52
22.5	15	R	22.5 T&B	1560	52
22.5	15	-	22.5 ML T&B	3120	104
22.5	385 / 65	R	22.5 T&B	1560	52
22.5	16.5	-	22.5 T&B	1800	60
22.5	16.5	R	22.5 T&B	1800	60
22.5	16.5	-	22.5 ML T&B	3600	120
22.5	425 / 65	R	22.5 T&B	1740	58
22.5	445 / 65	R	22.5 T&B	1920	64
22.5	18	-	22.5 T&B	1980	66
22.5	18	R	22.5 T&B	1980	66
22.5	18	-	22.5 ML T&B	3960	132

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter			Tyre Designation				Tyre Class		Volume ML (cc)	Ounces		
24			13.00			R 24	ML	T&B	3240			108
24			13.00			- 24	NHS	OTR	4020			134
24			13.00			R 24	NHS	OTR	4020			134
24			13.00			- 24	TG	OTR	3960			132
24			13.00			R 24	TG	OTR	3840			128
24			13.6			- 24		AGR	3660			122
24			14.00			- 24		T&B	1860			62
24			14.00			- 24		IND	4440			148
24			14.00			R 24		T&B	1860			62
24			14.00			- 24	ML	T&B	3780			126
24			14.00			R 24	ML	T&B	3780			126
24			14.00			- 24	NHS	OTR	4500			150
24			14.00			R 24	NHS	OTR	4500			150
24			14.00			- 24	TG	OTR	4560			152
24			14.00			R 24	TG	OTR	4440			148
24			360 / 70			R 24		AGR	3480			116
24			14.9			- 24		AGR	4200			140
24			380 / 70			R 24		AGR	3840			128
24			385 / 95			R 24		OTR	4560			152
24			16.00			- 24	DT	OTR	5940			198
24			16.00			R 24	DT	OTR	5940			198
24			16.00			- 24	TG	OTR	5460			182
24			16.00			R 24	TG	OTR	5460			182
24			420 / 70			R 24		AGR	4440			148
24			16.9			- 24		AGR	5040			168
24			16.9			R 24		AGR	5040			168
24			17.5	L		- 24		AGR	4920			164
24			18.00			- 24	DT	OTR	6360			212
24			18.00			R 24	DT	OTR	6360			212
24			18.4			- 24		AGR	5760			192
24			19.5	L		- 24		AGR	5700			190
24			21	L		- 24		AGR	6600			220
24	H	54	x	21.0		- 24		AIR	2160			72
24.49			700	x	28			C	CYB	180		6
24.5					245 / 75	- 24.5		T&B	1020			34
24.5					245 / 75	R 24.5		T&B	1020			34
24.5					11	- 24.5		T&B	1140			38
24.5					11	R 24.5		T&B	1140			38
24.5					11	- 24.5	ML	T&B	2340			78
24.5					285 / 75	- 24.5		T&B	1140			38
24.5					285 / 75	R 24.5		T&B	1140			38
24.5					12	- 24.5		T&B	1260			42
24.5					12	R 24.5		T&B	1260			42

Arnco												
ReSeal™ Volume Chart												
(Listed by Increasing Rim Diameter then by Tyre Width)												
Rim Diameter	Tyre Designation				Tyre Class	Volume ML (cc)	Ounces					
24.5				13.5	- 24.5	T&B	1500				50	
24.5				13.5	R 24.5	T&B	1500				50	
24.79	27	x		1		CYB	120				4	
24.79	27	x		1 1/8		CYB	180				6	
24.79	27	x		1 1/4		CYB	180				6	
24.79	27	x		1 1/4		HP CYB	180				6	
25				11.00	- 25	ML T&B	2640				88	
25				12.00	- 25	ML T&B	2880				96	
25				12.00	- 25	NHS OTR	3480				116	
25				12.00	R 25	NHS OTR	3480				116	
25				13.00	- 25	ML T&B	3360				112	
25				13.00	- 25	NHS OTR	4020				134	
25				13.00	R 25	NHS OTR	4020				134	
25				14.00	- 25	ML T&B	3780				126	
25				14.00	R 25	ML T&B	3780				126	
25				14.00	- 25	NHS OTR	4500				150	
25				14.00	R 25	NHS OTR	4500				150	
25				385 / 95	R 25		OTR	4560			152	
25				15.5	- 25		OTR	4560			152	
25				15.5	R 25		OTR	4560			152	
25				16.00	- 25		OTR	5640			188	
25				16.00	- 25		IND	5640			188	
25				16.00	R 25		OTR	5640			188	
25				17.5	- 25		OTR	5280			176	
25				17.5	R 25		OTR	5280			176	
25				445 / 80	R 25		OTR	5400			180	
25				445 / 95	R 25		OTR	5640			188	
25				18.00	- 25		OTR	7080			236	
25				18.00	- 25		IND	7020			234	
25				18.00	R 25		OTR	7080			236	
25				18.00	- 25	DT	OTR	6360			212	
25				18.00	R 25	DT	OTR	6360			212	
25	61	x		18.00	- 25		OTR	6780			226	
25				505 / 95	R 25		OTR	6960			232	
25				20 / 65	- 25		OTR	5880			196	
25				20.5	- 25		OTR	6840			228	
25				20.5	R 25		OTR	6840			228	

Arnco													
ReSeal™ Volume Chart													
(Listed by Increasing Rim Diameter then by Tyre Width)													
Rim Diameter		Tyre Designation						Tyre Class		Volume ML (cc)		Ounces	
25				525	/	80	R	25		OTR	6840		228
25				21.00			-	25		OTR	8760		292
25				21.00			R	25		OTR	8760		292
25				21.00			-	25	DT	OTR	8460		282
25				21.00			R	25	DT	OTR	8460		282
25				22	/	65	R	25		OTR	6720		224
25				575	/	95	R	25		OTR	8580		286
25				23.5			-	25		OTR	8460		282
25				23.5			R	25		OTR	8460		282
25				605	/	80	R	25		OTR	8580		286
25				24.00			-	25		OTR	10740		358
25				24.00			R	25		OTR	10740		358
25				25	/	65	-	25		OTR	8280		276
25				25	/	65	R	25		OTR	8280		276
25				26.5			-	25		OTR	10320		344
25				26.5			R	25		OTR	10320		344
25				685	/	80	R	25		OTR	10440		348
25				29.5			-	25		OTR	12300		410
25				29.5			R	25		OTR	12300		410
25				29.5			-	25	DT	OTR	12060		402
25				29.5			R	25	DT	OTR	12060		402
25				30	/	65	-	25		OTR	11040		368
25				30	/	65	R	25		OTR	11040		368
25	67	x		34.00			-	25	NHS	AGR	13080		436
25				35	/	65	-	25		OTR	14220		474
25	66	x		43.00			-	25	NHS	AGR	15720		524
25	66	x		44.00			-	25	NHS	AGR	16680		556
26				14.9			-	26		AGR	4260		142
26				14.9			R	26		AGR	4260		142
26				16.00			-	26		OTR	4860		162
26				16.9			-	26		AGR	5220		174
26				16.9			R	26		AGR	5220		174
26				18.00			-	26	TG	OTR	7620		254
26				18.4			-	26		AGR	5940		198
26				18.4			R	26		AGR	5940		198
26				480	/	70	R	26		AGR	5640		188

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tyre Width)

Rim Diameter	Tyre Designation		Tyre Class		Volume ML (cc)	Ounces
26		23.1	- 26	AGR	8400	280
26		28 L	- 26	AGR	10320	344
26	54 x	31.00	- 26 NHS	AGR	9480	316
26	67 x	34.00	- 26 NHS	AGR	13080	436
26	66 x	43.00	- 26 NHS	AGR	15720	524
28		11.2	- 28	AGR	3000	100
28		11.25	- 28 SL	AGR	3660	122
28		12.4	- 28	AGR	3480	116
28		320 / 70	R 28	AGR	3240	108
28		13.6	- 28	AGR	4020	134
28		13.6	R 28	AGR	4020	134
28		360 / 70	R 28	AGR	3840	128
28		14.9	- 28	AGR	4560	152
28		14.9	R 28	AGR	4560	152
28		380 / 70	R 28	AGR	4140	138
28		420 / 70	R 28	AGR	4800	160
28		16.9	- 28	AGR	5400	180
28		16.9	R 28	AGR	5400	180
28		18.4	- 28	AGR	6180	206
28		480 / 70	R 28	AGR	5820	194
28		19.6	- 28	AGR	6480	216

Arnco

ReSeal™ Volume Chart

(Listed by Increasing Rim Diameter then by Tyre Width)

Rim Diameter	Tyre Designation		Tyre Class	Volume ML (cc)	Ounces
34	18.4	- 34	AGR	6900	230
34	18.4	R 34	AGR	6780	226
34	480 / 70	R 34	AGR	6480	216
34	520 / 70	R 34	AGR	7200	240
34	20.8	- 34	AGR	8040	268
34	20.8	R 34	AGR	8040	268
34	23.1	- 34	AGR	9300	310
34	23.1	R 34	AGR	9300	310
35	21.00	- 35	OTR	10020	334
35	21.00	R 35	OTR	10020	334
35	24.00	- 35	OTR	12180	406
35	24.00	R 35	OTR	12180	406
35	29.5	- 35	OTR	13980	466
35	29.5	R 35	OTR	13980	466
35	33.25	- 35	OTR	16980	566
35	33.25	R 35	OTR	16980	566
35	37.25	- 35	OTR	19800	660
35	37.25	R 35	OTR	19800	660

Arnco

ReSeal™ Volume Chart

(Listed by increasing Rim Diameter then by Tyre Width)

Rim Diameter				Tyre Designation			Tyre Class	Volume ML (cc)	Ounces
6		18	x	7/4.50F			NHS	720	24
8		16	x	4.4			AIR	180	6
8		18	x	5.5			AIR	240	8
8		18	x	7			IND	780	26
10		18	x	4.4			AIR	180	6
10		24	x	7.7			AIR	360	12
12.31		16	x	1.75			CYB	120	4
12.31		16	x	2.125			CYB	180	6
12.48		16	x	1 3/4			CYB	120	4
13		21	x	4			IND	600	20
13		22	x	4 1/2			IND	780	26
13		23	x	5			IND	900	30
13		25	x	6			IND	1020	34
14		26	x	6.6			AIR	360	12
14		34	x	11			AIR	720	24
14.31		18	x	1.625			CYB	120	4
15		29	x	7.7			AIR	420	14
16		32	x	8.8			AIR	540	18
16		36	x	11			AIR	780	26
16		39	x	13			AIR	960	32
16		40	x	14			AIR	1050	35
16		42	x	15			AIR	1260	42
16.31		20	x	1.75			CYB	180	6
16.31		20	x	1.75	/ 47	- 406	CYB	180	6
16.31		20	x	2.125			CYB	240	8
16.48		20	x	1 3/4			CYB	180	6
17.72	CT			205	/ 45	R 450	PAS	420	14
17.75		20	x	1 1/4			CYB	120	4
17.75		20	x	1.25			CYB	120	4
17.75		20	x	1.375			CYB	120	4
17.75		20	x	1 3/8			CYB	120	4
18		40	x	12			AIR	960	32
18		44	x	16			AIR	1320	44
20		46	x	16			AIR	1380	46
20		49	x	17			AIR	1620	54
20.30		24	x	2.125			CYB	240	8
20.30		24	x	2.125	/ 57	- 507	CYB	240	8
20.31		24	x	1.75			CYB	180	6
20.31		24	x	2.125			CYB	240	8
20.48		24	x	1 3/4			CYB	180	6
21.24		24	x	1 3/8			CYB	180	6
21.52		24	x	1 1/4			CYB	180	6
21.75		24	x	1.25			CYB	180	6

Arnco

ReSeal™ Volume Chart

(Listed by increasing Rim Diameter then by Tyre Width)

Rim Diameter				Tyre Designation			Tyre Class	Volume ML (cc)	Ounces
21.75	24	x		1.375			CYB	180	6
22.31	26	x		1.75			CYB	240	8
22.31	26	x		2.10			CYB	240	8
22.31	26	x		2.125			CYB	240	8
22.48	26	x		1 3/4			CYB	240	8
23.24	26	x		1 3/8			CYB	180	6
23.51	26	x		1 1/4			CYB	180	6
23.75	26	x		1.25			CYB	180	6
23.75	26	x		1.375			CYB	180	6
24.49	700	x		28		C	CYB	180	6
24.79	27	x		1			CYB	120	4
24.79	27	x		1 1/8			CYB	180	6
24.79	27	x		1 1/4			CYB	180	6
24.79	27	x		1 1/4		HP	CYB	180	6